

MATERIAL SAFETY DATA SHEET

(Prepared According to 29 CFR 1910.1200)

Date Prepared: January, 1998

Date Revised: November, 05

Prepared by: Robert V. Johnson

Date Printed: November 18, 2005

SECTION 1 - COMPANY & PRODUCT IDENTIFICATION:			
Company Name: KLEERWITE CHEMICAL		Emergency Phone: 800-535-5053 (InfoTrac)	
P. O. BOX 10428, BURKE, VA 22009-0428, 703-451-3964; FAX: 703-451-7362			
Trade Name: SUPER P.O.G.		Product Type: SPOTTER	
SECTION 2 - INGREDIENT INFORMATION: * = HAZARDOUS			
CHEMICAL NAME/COMMON NAME	CAS NO.	PERCENT	TLV
* MINERAL SPIRITS	64742-88-7	<25%	100 ppm
MINERAL SEAL OIL	64741-89-5		
AMYL ACETATE	628-63-7		
DIETHYLENE GLYCOL n-BUTYL ETHER	111-76-2		
SARA HAZARD TITLE III, SECTION 313-CONTAINS THE STATED INGREDIENT(S) AT THE INDICATED PERCENTAGES			
SECTION 3 - HEALTH HAZARD DATA:			
Primary Routes of Exposure Eye <input type="checkbox"/> [] Skin <input checked="" type="checkbox"/> [X] Oral <input type="checkbox"/> [] Inhalation <input checked="" type="checkbox"/> [X] Other <input type="checkbox"/> []			
Overexposure Effects: May cause eye irritation. May cause skin irritation and removal of skin oils resulting in dermatitis. Vapors may cause respiratory irritation.			
Threshold Limit Value: Not Established.			
H.M.I.S Values: Health (Blue) - 2; Flammability (Red) - 2; Reactivity (Yellow) - 0; Personal Protection - B			
Carcinogen or Suspect Carcinogen Ingredients <input type="checkbox"/> [] NTP <input type="checkbox"/> [] IARC <input type="checkbox"/> [] OSHA <input checked="" type="checkbox"/> [X] None			
SECTION 4 - FIRST AID MEASURES:			
Eyes: Remove contact lenses. Flush eyes with water for 15 minutes, get prompt medical attention.			
Skin: Wash skin with soap and water. A soothing ointment can be applied if irritation persists. Remove contaminated clothing.			
Ingestion: Do not induce vomiting. If vomiting does occur, keep airway clear. Get immediate medical attention..			
Inhalation: Seek well ventilated area. If irritation persists seek medical attention.			
SECTION 5 - FIREFIGHTING MEASURES:			
Flash Point (T.C.C.) 177° F. Flammable Limits Upper: 12 ; Lower: 2			
Extinguishing Media: Foam, CO ₂ , Water fog, BC/ABC Extinguisher may be used in area where material is stored.			
Special firefighting Procedures: Use self contained breathing apparatus. Spray containers to avoid pressure build up.			
Unusual Fire and Explosion Hazards: Vapors are heavier than air and can cause fire. Product will float and spread fire.			
SECTION 6 - ACCIDENTAL RELEASE MEASURES:			
If Released or Spilled: Stop leaks. Contain spill, absorb with an inert material and place in a suitable container for disposal.			
Waste Disposal Methods: Dispose of wash water and spill byproducts according to State and Federal regulations.			
SECTION 7 - STORAGE AND HANDLING INFORMATION:			
Store in a cool, dry well ventilated area. Keep container closed when not in use. Do not get in the eyes, on skin or on clothing. Do not take internally. Do not breath vapors.			
SECTION 8 - SPECIAL PROTECTION INFORMATION			
Respiratory Protection: If heavy vapor conditions exist, use a NIOSH/MHSA approved vapor respirator.			
Ventilation Requirements <input checked="" type="checkbox"/> [X] Local Exhaust <input type="checkbox"/> [] Mechanical <input type="checkbox"/> [] Other <input type="checkbox"/> []			
Protective Gloves: Recommended for prolonged contact Eye Protection: Not necessary Other protective Clothing: None needed			
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:			
Boiling point (°F.) >250°F Density (lb/gl) 7.527 Specific Gravity (H ₂ O = 1) 0.9025 pH (1%) = N/A			
Vapor Pressure (mm Hg) <0.5 mmHg		Vapor Density (Air=1) >4.8	
Solubility in water: <input type="checkbox"/> [] Complete <input checked="" type="checkbox"/> [X] Insoluble <input type="checkbox"/> [] Emulsifiable (or Dispersible) <input type="checkbox"/> [] Slight (or Partial)			
Evaporation Rate (vs. Ether) <input type="checkbox"/> [] Faster <input checked="" type="checkbox"/> [X] Slower <input type="checkbox"/> [] About the same			
Appearance and Odor: Clear liquid with a strong solvent odor.			
SECTION 10 - STABILITY AND REACTIVITY:			
Stability: Stable Incompatibility: Heat, flame and oxidizers. Hazardous Decomposition Products: Toxic oxides of carbon and complex organic compounds			
SECTION 11 - TRANSPORTATION INFORMATION:			
Proper Shipping Name: COMBUSTIBLE LIQUID			
D.O.T. Hazard Class: COMBUSTIBLE LIQUID UN Number: UN-1993 Packaging Group: PGII Label Required: NONE			

This information is provided without any representation or warranty, express or implied, regarding its accuracy or correctness. Conditions or methods of handling, storage, use and disposal of the product are beyond our knowledge. **For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage and expense arising out of or in any way connected with the handing, storage, use or disposal of the product.**